

# TenCate Geolon® PE

## Technical Data

TenCate Geolon® PE woven geotextiles are engineered materials suitable for short and long term filter applications. They are composed of high density polyethylene fibres, assembled to form a structured and stable woven geotextile.



TenCate Geolon® PE

Properties [Standard]	Unit	PE 180	PE 525	PE 1000
<b>Hydraulic Properties</b>				
Water permeability normal to the plane [EN ISO 11058 - Δh = 50 mm]	l/m <sup>2</sup> s (mm/s)	100	300	350
Characteristic opening size O <sub>90</sub> [EN ISO 12956]	micron	210	350	600
<b>Mechanical Properties</b>				
Tensile strength [EN ISO 10319]	MD	kn/m	44	41
	CD	kn/m	35	35
Elongation at nominal strength [EN ISO 10319]	MD	%	34	31
	CD	%	25	20
Static puncture resistance (CBR-value) [EN ISO 12236]	kn	5	4	3.5
Dynamic perforation (cone drop) [EN ISO 13433]	mm	9	12	12
<b>Forms of Supply</b>				
Roll width	m	5.05	5.05	5.05
Roll length	m	100	100	100
Roll weight [indicative]	kg	130	105	110

MD = machine direction / CD = cross direction

The values given are average values obtained in our laboratories and in accredited testing institutes. The information given in this datasheet is to the best of our knowledge true and correct. However new research results and practical experience can make revisions necessary. The right is reserved to make changes without notice at any time. No guarantee or liability can be drawn from the information mentioned herein.

### TENCATE GEOSYNTHETICS AUSTRIA GMBH

Schachermayerstr. 18 Tel. +43 732 6983 0, Fax +43 732 5983 5353  
A-4021 Linz, Austria service.at@tencate.com, www.tencategeosynthetics.com

**BeNeLux** Tel. +31 546 544 811 service.nl@tencate.com  
**Central Eastern Europe** Tel. +43 732 6983 0 service.at@tencate.com  
**Czech Republic** Tel. +420 2 2425 1843 service.cz@tencate.com  
**France | Africa** Fax +33 1 34 23 53 48 service.fr@tencate.com  
**Germany** Tel. +40 6074 3751 61 service.de@tencate.com  
**Italy** Tel. +39 0362 34 58 11 service.it@tencate.com  
**Near Middle East** Tel. +971 4810 3295 service.nme@tencate.com

**Poland** Tel. +48 12 268 8375 service.pl@tencate.com  
**Russia | CIS** Tel. +43 732 6983 0 service.ru@tencate.com  
**Scandinavia | Baltics** Tel. +31 546 544 811 geonordic@tencate.com  
**Spain | Portugal** Tel. +34 607 499 962 service.as@tencate.com  
**Turkey** Tel. +43 732 5983 0 service.tr@tencate.com  
**UK | Ireland** Tel. +44 1952 588 066 service.uk@tencate.com

