

TenCate Protective Fabrics Logo Usage

The purpose of this document is to ensure a consistent presentation of the TenCate and TenCate SouthernMills corporate and product brand identities in the marketplace, and to facilitate legal protection of the various trademarks created and owned by Royal Ten Cate NV, Southern Mills, Inc., and others.

Corporate and product logos provided directly from TenCate Protective Fabrics are the only acceptable materials for use in representing the company and its brands. The configuration of TenCate Protective Fabrics corporate and product logos must never be adjusted, modified, redrawn or otherwise altered, except for reducing and enlarging as a logo unit, as required. The logo unit is defined as the orange weaver's knot, TenCate name, and/or TenCate SouthernMills slogan or product name, and legal registration mark.

The TenCate Southern Mills Corporate logo for use within emergency response and wildlands markets:



The TenCate Corporate logo for use within military and industrial markets:



Sample Product Logos



Logo Color Guidelines

All TenCate logos are composed of two colors, orange and blue. When required, logos may also appear in a grayscale (weaver's knot) and black (logotype) configuration on a white background, or orange (weaver's knot) and white (logotype) on a PMS 295 blue background. No other variations of color are permitted.

PMS Color Composition:

Orange Weaver's Knot: PMS 1665
Blue Logotype: PMS 295 (coated stock)
PMS 2757 (uncoated stock)

4-color Process Build:

Orange Weaver's Knot: 0C+80M+100Y+0K (coated stock)
0C+75M+100Y+0K (uncoated stock)
Blue Logotype: 100C+80M+0Y+45K (coated stock)
100C+90M+0Y+20K (uncoated stock)

RGB/RGB Websafe/HEX Builds:

Orange Weaver's Knot: RGB- 242R+106G+20B HEX- F26A14
RGB Websafe- 255R+102G+0B HEX- FF6600
Blue Logotype:
RGB- 0R+40G+102B HEX- 002866
RGB Websafe- 0R+51G+102B HEX- 003366

Logo Placement Guidelines

Adequate clearance should be provided around each logo so that nothing visually interferes with the logo's effectiveness. For the corporate logo, this clearance is defined as the height of the smaller letters in the TenCate logo (e,n,a,t,e). This is also true for product brands, except the clearance below the logo should be equal to 2x the height of those letters. Logos should not be placed against a busy background, and no shape around the logo should be added that could be mistaken as part of the logo.

Approved Product Descriptors and Legal Text

The following pages provide the approved descriptor for each TenCate product and the accompanying trademark protection language that must be used. It is necessary to use this language in all brand communications materials: print, web, a/v, and other materials.

CORPORATE LOGOS



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. SOUTHERNMILLS is a trademark of Southern Mills, Inc.

Web link: www.southernmills.com



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV.

Web link: www.tencate.com/protective

PRODUCT LOGOS



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. ADVANCE is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: ADVANCE™ offers proven performance in an amazingly affordable outer shell fabric. Its special construction, engineered from a blend of DuPont™ KEVLAR® and NOMEX® brand fibers, provides high strength, durability and thermal protection.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. ADVANCE is a trademark of Southern Mills, Inc. DuPont™, KEVLAR® and NOMEX® are trademarks or registered trademarks of DuPont or its affiliates. SOUTHERN MILLS, Inc. patents pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. ADVANCE ULTRA is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: ADVANCE ULTRA™ offers proven performance in an amazingly affordable outer shell fabric. Its special construction, engineered from a blend of DuPont™ KEVLAR® and NOMEX® brand fibers, provides high strength, durability and thermal protection.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. ADVANCE ULTRA is a trademark of Southern Mills, Inc. DuPont™, KEVLAR® and NOMEX® are trademarks or registered trademarks of DuPont or its affiliates. SOUTHERN MILLS, Inc. patents pending.

 **TENCATE**
Aralite® NP

Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. ARALITE is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: ARALITE® NP lightweight thermal barrier fabrics provide a vital layer to insulate your body against intense heat. They feature less bulk and a wickable NOMEX® face cloth for more comfortable and more flexible thermal protection. With proven protection and outstanding comfort, ARALITE NP is designed to meet your specific thermal, physical and budgetary requirements.

Legal line to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. ARALITE is a registered trademark of SOUTHERN MILLS, Inc. NOMEX® is a trademark or registered trademark of DuPont or its affiliates. SOUTHERN MILLS, Inc. patents pending.

 **TENCATE**
Aralite® SL3

Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. ARALITE is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: With its 100% NOMEX® woven face cloth and three layers of inherently flame-resistant NOMEX/KEVLAR E89™ batts, ARALITE® SL3 is a thin, lightweight barrier providing excellent thermal protection.

Legal line to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. ARALITE is a registered trademark of SOUTHERN MILLS, Inc. DuPont™, NOMEX®, NOMEX® and E89™ are trademarks or registered trademarks of DuPont or its affiliates. SOUTHERN MILLS, Inc. patents pending.



Aramid camouflage

Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. SOUTHERN MILLS, Inc. patent pending.

Copy point: ARAMID CAMOUFLAGE fabric offers significant advantages thanks to its superior performance in:

- Protection – proven protection and performance of Nomex®.
- Comfort – Increased air permeability provides improved breathability and comfort.
- Durability – Increased abrasion resistance assures better fabric performance under rugged conditions.
- Appearance – Reduced pilling improves the overall appearance. Higher flexural rigidity delivers improved performance through a firmer hand, better drape of the garment, and by helping the garment maintain its shape.

MIL-C-83429B Type II Class 5 compliant for physical requirements

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. NOMEX® is a trademark or registered trademark of DuPont or its affiliates. SOUTHERN MILLS, Inc. patent pending.



Arashield®

Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. ARA-SHIELD is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: ARA-SHIELD® reinforcement fabric is lighter yet stronger than other reinforcement materials, such as leather. Applied to knees, elbows and places where exposure to abrasion is highest, ARA-SHIELD's exceptional strength and thermal protection provide a superior shield from the harshest attacks.

Legal line to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. ARA-SHIELD is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

 **TENCATE**
Caldura® silver NP

Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. CALDURA is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: CALDURA® SILVER NP is a leader in thermal barrier fabrics. It combines a needled aramid batt with proven thermal protection, and the premier face cloth that provides a slick surface allowing you to move in and out of your garment with ease. Unmatched wickability moves perspiration away from your body to keep you drier. CALDURA SILVER NP has excellent pilling resistance, and a soft, slick hand for maximum comfort.

Legal line to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. CALDURA is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

 **TENCATE**
Caldura® silver SL2

Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. CALDURA is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: CALDURA® SILVER SL2 is the ultimate in thermal barrier fabrics for turnout gear. It combines two thin layers of a meta-aramid/para-aramid non-woven batt, and the premier face cloth that provides a slick surface allowing you to move in and out of your garment with ease. Unmatched wickability moves perspiration away from your body to keep you drier. CALDURA SILVER SL2 has excellent pilling resistance, and soft, slick hand for maximum comfort.

Legal line to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. CALDURA is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Chemical Splash

Protective Outerwear Fabrics

Legal line to be utilized when using logo: SOUTHERN MILLS, Inc. patent pending.

Copy point: CHEMICAL SPLASH PROTECTIVE fabrics are engineered to protect against chemical splash, heat, and flash fire hazards. Certified to both NFPA 1992 and 2112, this laminated three-layer fabric combining a Nomex® woven outer shell, a highly breathable PTFE membrane and a Nomex® knitted liner create a durable protective fabric that provides comfort and safety.

Legal copy to be utilized when using copy point: Nomex® is a registered trademark of DuPont or its affiliates. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. COMFORT BLEND is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.

Copy point: COMFORT BLEND™ sets the standard for outstanding value in protective fabrics for industrial and fire service applications. Made from a patented technology that combines the proven protection and performance of Nomex® and the softness and comfort of Lenzing FR ® rayon.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. Nomex® is a registered trademark of DuPont or its affiliates. Lenzing FR is a registered trademark of Lenzing AG. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TENCATE NV. DEFENDER is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.

Copy point: DEFENDER™ proves that good protection doesn't have to carry a high price tag. This classic Nomex® outer shell fabric continues to build on its strong 30-year reputation for rugged durability by protecting firefighters against extreme temperatures and grueling conditions.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TENCATE NV. DEFENDER is a trademark of SOUTHERN MILLS, Inc. Nomex® is a registered trademark of DuPont or its affiliates. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TENCATE NV. DEFENDER and SOTHERN MILLS DEFENDER are trademarks of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.

Copy point: TENCATE™ DEFENDER™ M sets the standard for flame protective military combat uniforms. It is the new flame-resistant military combat fabric of both the United States Army and United States Marine Corps. Engineered with patented technology, DEFENDER M not only provides exceptional protection from flame and heat. It is also as comfortable and durable as the most tried and proven nylon/cotton military fabrics.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TENCATE NV. DEFENDER and SOTHERN MILLS DEFENDER are trademarks of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TENCATE NV. FREESTYLE is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.

Copy point: FREESTYLE™ fabrics are perfect for head-to-toe protection against flash fire, electric arc and other dangerous conditions. Lightweight, breathable fabrics made of Nomex® combine unsurpassed flame resistance and exceptional durability wash after wash for the ultimate in comfort and durability.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TENCATE NV. FREESTYLE is a trademark of SOUTHERN MILLS, Inc. Nomex® is a registered trademark of DuPont or its affiliates. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TENCATE NV. FREESTYLE is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.

Copy point: FREESTYLE™ SOFT fabric provides an even softer, more comfortable version of our hallmark FREESTYLE fabrics. Lightweight, breathable and soft, these innovative fabrics made of Nomex® deliver the ultimate in comfort and durability. They're perfect for head-to-to protection against flash fire and electric arc.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TENCATE NV. FREESTYLE is a trademark of SOUTHERN MILLS, Inc. Nomex® is a registered trademark of DuPont or its affiliates. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. GEMINI is a trademark of SOUTHERN MILLS, Inc. GEMINI is made under the MATRIX™ technology License from PBI Performance Products, Inc. U.S. Patent No. 6,624,096 and other U.S. and foreign patents pending. MATRIX™ Technology is the trademark of PBI Performance Products, Inc. and is used with permission. Pbi is manufactured solely by PBI Performance Products. SOUTHERN MILLS, Inc. patents pending.

Copy point: GEMINI™ combines the proven performance of PBI and Kevlar® with advanced engineering concepts of TenCate™ SouthernMills™. Its unique construction (patent pending), engineered from a blend with DuPont™ Kevlar® staple fibers and PBI fibers and a network of DuPont Kevlar filament fibers provides higher abrasion resistance than any other PBI/para-aramid and MATRIX™ fabric.

Legal line to be utilized when copy point: TENCATE is a trademark of ROYAL TEN CATE NV. GEMINI is a trademark of SOUTHERN MILLS, Inc. GEMINI is made under the MATRIX™ technology License from PBI Performance Products, Inc. U.S. Patent No. 6,624,096 and other U.S. and foreign patents pending. MATRIX™ Technology is the trademark of PBI Performance Products, Inc. and is used with permission. Pbi is manufactured solely by PBI Performance Products. DuPont™ and KEVLAR® are trademarks or registered trademarks of DuPont or its affiliates. SOUTHERN MILLS, Inc. patents pending.

If you are a certified Peak Performance System manufacturer you may use The Peak Performance logo may in conjunction with GEMINI.



Legal copy to be utilized when using copy point and the Peak Performance logo: TENCATE is a trademark of ROYAL TEN CATE NV. SOUTHERN MILLS and GEMINI are trademarks of SOUTHERN MILLS, Inc. GEMINI is made under the MATRIX™ technology License from PBI Performance Products, Inc. U.S. Patent No. 6,624,096 and other U.S. and foreign patents pending. MATRIX™ Technology is the trademark of PBI Performance Products, Inc. and is used with permission. Pbi is manufactured solely by PBI Performance Products. DuPont™ and KEVLAR® are trademarks or registered trademarks of DuPont or its affiliates. Peak Performance System and its design are trademarks of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. KOMBAT is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: KOMBAT™ has proven itself as a recognized leader in thermally protective outer shell fabrics for over a decade. Construction engineered from a blend with DuPont™ Kevlar® staple fibers and PBI fibers, KOMBAT provides proven protection from severe temperature.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. KOMBAT is a trademark of Southern Mills, Inc. Pbi is manufactured solely by PBI Performance Products. DuPont™, KEVLAR® and NOMEX® are trademarks or registered trademarks of DuPont or its affiliates. SOUTHERN MILLS, Inc. patents pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. SOUTHERN MILLS, Inc. patent pending.

Copy point: STYLE 276™ high-tech fabric offers significant advantages thanks to its superior performance in:

- Comfort – Increased air permeability provides improved breathability and comfort.
- Durability – Increased abrasion resistance assures better fabric performance under rugged conditions.
- Appearance – Reduced pilling improves the overall appearance. Higher flexural rigidity delivers improved performance through a firmer hand, better drape of the garment, and by helping the garment maintain its shape.
- MIL-C-83429B compliant for physical requirements

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. MILLENIA LIGHT is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: MILLENIA LIGHT™ is the lightest outer shell fabric without compromise to strength and durability. Outer shells made from MILLENIA LIGHT reduce the weight on your back to keep you going longer. Its special construction, engineered from a blend with DuPont™ KEVLAR® brand fibers, provides high strength, durability and thermal protection. This outer shell material is 30% lighter than regular outer shell fabrics and as tough as any competitive product.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. MILLENIA LIGHT is a trademark of Southern Mills, Inc. DuPont™ and KEVLAR® are trademarks or registered trademarks of DuPont or its affiliates. SOUTHERN MILLS, Inc. patents pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. MILLENIA is a trademark of Southern Mills, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: MILLENIA™ XT makes an extreme leap forward in outer shell protection and flexibility. It outperforms every other premium outer shell fabric in every test that matters: thermal insulation, strength after exposure and durability. With this landmark advance in textiles technology, TenCate™ SouthernMills™ introduces a new generation of strength--and strengthens an unparalleled tradition of leadership through innovation.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. MILLENIA and SOUTHERN MILLS are trademarks of Southern Mills, Inc. SOUTHERN MILLS, Inc. patents pending.

If you are a certified Peak Performance System manufacturer you may use The Peak Performance logo in conjunction with Millenia XT.



Legal copy to be utilized when using copy point and the Peak Performance logo: TENCATE is a trademark of ROYAL TEN CATE NV. MILLENIA and SOUTHERN MILLS are trademarks of Southern Mills, Inc. Peak Performance System and its design are trademarks of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. NIMBUS is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.

Copy point: NIMBUS™ fabrics are the only waterproof and breathable all-weather materials specifically designed to protect the wearer from heat, flames and electric arc incidents. The laminated three layer construction combining a Nomex® woven outer shell, a highly breathable PTFE membrane and a Nomex® knitted liner makes a durable protective fabric that keeps its wearer comfortably dry, no matter what the weather conditions you face on the job.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. NIMBUS is a trademark of SOUTHERN MILLS, Inc. Nomex® is a registered trademark of DuPont or its affiliates. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. TEN CATE OASIS is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.

Copy point: Designed to deliver premium protection against molten metal splash, radiant heat, flame and other smelting hazards. TENCATE OASIS™ is a highly engineered fiber blend with a super-soft, lightweight feel and flexibility. An outstanding value and the best choice among thermal resistant and metal-shedding fabrics.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. TEN CATE OASIS is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. QUANTUM3D, GoldCheck and the appearance of the QUANTUM3D facecloth are trademarks of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: QUANTUM3D™, a component of the Peak Performance System™, takes thermal barrier technology to an entirely new level. Our proprietary, patent-pending process provides higher TPP-with no decrease in THL performance. It also provides better insulation while enhancing ease of movement with greater flexibility.

Legal line to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. QUANTUM3D, GoldCheck and the appearance of the QUANTUM3D facecloth are trademarks of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

If you are a certified Peak Performance System manufacturer you may use The Peak Performance logo may in conjunction with QUANTUM3D.



Legal copy to be utilized when using copy point and the Peak Performance logo: TENCATE is a trademark of ROYAL TEN CATE NV. SOUTHERN MILLS, QUANTUM3D, GoldCheck and the appearance of the QUANTUM3D facecloth are trademarks of SOUTHERN MILLS, Inc. Peak Performance System and its design are trademarks of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. Q-8 is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.

Copy point: Q-8™ thermal barriers prove their value among firefighters with compliant protection. With its 100% inherently flame resistant woven face cloth and non-woven batts, Q-8 provides protection at a price that fits your budget.

Legal line to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. Q-8 is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patents pending.



Racing Fabric

Protective Outerwear Fabrics

Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TENCATE NV. SOUTHERN MILLS, Inc. patent pending.

Copy point: TENCATE RACING FABRIC ushers in a new standard of protection, comfort and durability for single-layer SFI-1 (3.2A/1) certified protective fabrics. Engineered for use in race car driver and pit crew uniforms, this high performance fabric's flame and flash fire resistance and shiny luster is inherent. So the built-in protection and professional appearance will remain no matter how many times it is washed.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TENCATE NV. SOUTHERN MILLS, Inc. patent pending.



Style 362/Style 469

Protective Outerwear Fabrics

Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TENCATE NV. SOUTHERN MILLS, Inc. patent pending.

Copy point: Style S/362 and Style S/469 are tough fabrics geared for the thermal hazards, long hours, heavy labor, and rugged terrain of real-world wildland fire fighting.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TENCATE NV. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. STYLE 376 is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.

Copy point:

- STYLE 376™ high-tech fabric offers significant advantages thanks to its superior performance in:
- Comfort – Increased air permeability provides improved breathability and comfort.
- Durability – Increased abrasion resistance assures better fabric performance under rugged conditions.
- Appearance – Reduced pilling improves the overall appearance. Higher flexural rigidity delivers improved performance through a firmer hand, better drape of the garment, and by helping the garment maintain its shape.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. STYLE 376 is a trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. TECASAFE is a trademark of Ten Cate Protect bv. SOUTHERN MILLS, Inc. patent pending.

Copy point: TECASAFE™ HI-VIS shirt weight fabrics provide an unequalled combination of thermal protection and high visibility. This innovative all-in-one solution is ANSI 107-2004 and ASTM 70E HRC 1 compliant, meets ASTM F1506 (ATPV 5.8) requirements and is lightweight (5.0 osy). The inherently flame resistant fabric delivers built-in FR protection that won't wash out or wear out.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. TECASAFE is a trademark of Ten Cate Protect bv. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TEN CATE NV. TECASAFE is a trademark of Ten Cate Protect bv. SOUTHERN MILLS, Inc. patent pending.

Copy point: TECASAFE™ PLUS delivers superior electric arc and flash fire protection in a comfortable lightweight fabric. It performs to the NFPA 70E Category 2 and NFPA 2112 standards and lasts longer than FR treated fabrics, making TECASAFE PLUS a great value. It is inherently flame resistant unlike other arc protective fabrics. So, the unique FR protection comes built-in, and won't wash out or wear out. Tecasafe plus also boasts a lower 3-second manikin burn percentage than other competitive FR fabrics in its class.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TEN CATE NV. TECASAFE is a trademark of Ten Cate Protect bv. SOUTHERN MILLS, Inc. patent pending.



Legal line to be utilized when using logo: TENCATE is a trademark of ROYAL TENCATE NV. TUFFWELD is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.

Copy point: TUFFWELD® provides rugged flame-resistant protection at the lowest cost per wear of any welding garment fabric. Surpasses FRT cotton in tensile strength, tear strength, abrasion resistance and wicking ability. Higher resistance to molten slag and pin holes. Never needs ironing.

Legal copy to be utilized when using copy point: TENCATE is a trademark of ROYAL TENCATE NV. TUFFWELD is a registered trademark of SOUTHERN MILLS, Inc. SOUTHERN MILLS, Inc. patent pending.